



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/852,051 | 05/10/2001 | Eduardo J. Jimenez | P 278455 HT-3085REG | 3787 |

909 7590 05/30/2002

PILLSBURY WINTHROP, LLP
P.O. BOX 10500
MCLEAN, VA 22102

EXAMINER

COURSON, TANIA C

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

2859

DATE MAILED: 05/30/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/852,051

Applicant(s)

JIMENEZ ET AL. *JK*

Examiner

Tania C. Courson

Art Unit

2859

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 May 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). ____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4 6) ☐ Other: .

DETAILED ACTION

Drawings

1. This application has been filed with informal drawings which are acceptable for examination purposes only. Formal drawings will be required when the application is allowed.

Specification

2. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

The following title is suggested: Straight Edge With Central Section To Facilitate Holding and To Provide Protection to The User When Cutting Materials.

Claim Objections

3. Claims 1 and 18 are objected to because of the following informalities:
 - a) claim 1, "said first scale-supporting section" in line 5 lacks antecedent basis;
 - b) claim 1, "An guiding device" in line 1 should read "A guiding device", and;
 - c) claim 18, "said contact surface" in lines 2-3 lacks antecedent basis.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are

Art Unit: 2859

such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 2, 5-9 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bearinger (U.S. Patent No. 4,089,116) in view of Jewell (U.S. Patent No. 443,652).

Bearinger discloses a straight edge holding device comprising:

- a) an elongated finger-resting surface (Fig. 1, flange 4);
- b) an elongated upstanding section projecting upwardly from said finger-resting surface (Fig. 1, retainer 22);
- c) an elongated scale-supporting section coupled to and extending along said upstanding section (Fig. 1, flange 6) with said upstanding section being positioned between said first scale-supporting section and said finger-resting surface (Fig. 1), said scale-supporting section being inclined with respect to a guiding device supporting surface (Fig. 1);
- d) said finger-resting surface permitting fingers of a user gripping said guiding device to be positioned on said finger-resting surface while being protected from an implement by said upstanding section during movement of the implement along said guiding device adjacent said first scale (Fig. 1);
- e) wherein said finger-resting surface is substantially flat (Fig. 1);
- f) a substantially flat contact surface (Fig. 1, flat supporting surface 8) positioned beneath said finger-resting surface, said upstanding section, and said scale supporting section to permit smooth application of said guiding device on the working surface (Fig. 3);

Art Unit: 2859

- g) wherein said contact surface includes an elongated recess (Fig. 3, recess 10);
- h) wherein said guiding device has a generally T-shaped cross-section (Fig. 3).

Bearinger does not disclose an elongated first scale made of metal and having a lower surface and an upper surface, said lower surface being rigidly and unreleasably attached to said first scale-supporting section and said upper surface having first indicia to indicate predetermined lengths along said first scale, said first scale having a non-metallic coating on said upper surface and a contact surface including a second indicia indicating predetermined lengths along said contact surface and said second indicia is printing on said contact surface.

With respect to an elongated first scale made of metal and having a lower surface and an upper surface, said lower surface being rigidly and unreleasably attached to said first scale-supporting section and said upper surface having first indicia to indicate predetermined lengths along said first scale, said first scale having a non-metallic coating on said upper surface, a contact surface including a second indicia indicating predetermined lengths along said contact surface and said second indicia is printing on said contact surface, Jewell teaches a ruler that consists of an elongated first scale (Fig. 1, bar a) made of metal (column 1, lines 30-33) and having a lower surface and an upper surface, said lower surface (column 1, lines 30-33) being rigidly and unreleasably attached to said first scale-supporting section and said upper surface having first indicia to indicate predetermined lengths along said first scale (Fig. 1) and said first scale has a non-metallic coating on said upper surface (column 1, lines 30-33), a contact surface (Fig. 2) including a second indicia (Fig. 2) indicating predetermined lengths along said contact

Art Unit: 2859

surface and said second indicia is printing on said contact surface (column 1, lines 45-47).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the straight edge holding device of Bearinger, so as to include an elongated first scale and a contact surface, as taught by Jewell, so as to provide additional measuring units so as to increase the capacity of measurements during use of the device.

6. Claims 3-4 and 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bearinger and Jewell, as applied to claims 1, 2, 5-9 and 12 as stated above, and further in view of Syed (GB 2180799A).

Bearinger and Jewell disclose a straight edge holding device as stated above in paragraph

5. They further disclose:

- a) wherein said finger-resting surface, said upstanding section, and said scale supporting section are integrally formed as a unitary, one-piece element (Fig. 3);
- b) wherein said upstanding section is a wall having a first side facing said first scale and a second side (Fig. 3, side walls 24 and 26) facing said finger-resting surface, with said first side being inclined with respect to said scale-supporting section (Fig. 3), and;

Bearinger and Jewell do not disclose a finger-resting surface, an upstanding section, and a scale supporting section formed of plastic and a second side including a plurality of ribs.

Art Unit: 2859

Regarding claim 4: Bearinger and Jewell disclose the finger-resting surface, the upstanding section, and the scale supporting section of a durable (column 1, lines 57-62) material. The particular type of material used to make the finger-resting surface, the upstanding section, and the scale supporting section, absent any criticality, is only considered to be the use of a “preferred ” or “ optimum ” material out of a plurality of well known materials that a person having ordinary skill in the art at the time the invention was made would have find obvious to provide using routine experimentation based, among other things, on the intended use of Applicant’s apparatus, i.e., suitability for the intended use of Applicant’s apparatus. See In re Leshin, 125 USPQ 416 (CCPA 1960) where the court stated that a selection of a material on the basis of suitability for intended use of an apparatus would be entirely obvious.

With respect to a second side including a plurality of ribs, Syed teaches a ruler that consists of a second side including a plurality of ribs (column 3, lines 4-6). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the straight edge holding device of Bearinger and Homan, so as to include a second side including a plurality of ribs, as taught by Syed, so as to provide a good grip during use of the device.

7. Claim 13-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bearinger in view of Jewell.

Bearinger discloses a straight edge holding device comprising:

- a) an elongated first portion (Fig. 1, flange 4) having a finger-resting surface (Fig. 1) and a bottom surface (Fig. 3) opposite to said finger-resting surface;
- b) an elongated second portion (Fig. 1) extending along said first portion, said second portion having an upstanding section (Fig. 1, retainer 22) and an inclined scale-supporting section (Fig. 1, flange 6), said upstanding section projecting upwardly from said finger-resting surface and having an uppermost free end (Fig. 1), said upstanding section being positioned between said scale-supporting section and said first portions (Fig. 3), said first and second portions having a generally T-shaped cross-section (Fig. 3);
- c) said bottom surface of said first portion being configured to be placed against a substantially flat working surface (Fig. 1, flat supporting surface 8);
- d) said finger-resting surface permitting fingers of a user gripping said guiding device to be positioned on said finger-resting surface while being protected from an implement by said upstanding section during movement of the implement along said guiding device, adjacent said first scale (Fig. 1);
- e) each of said finger-resting surface and said first bottom surface of said first portion is substantially flat (Fig. 1), and said finger-resting surface is substantially parallel to said first bottom surface (Fig. 3);
- f) wherein said first portion and said second portion are integrally formed as a unitary, one-piece element (Fig. 3);
- g) said upstanding section is a wall (Fig. 3) having a first side facing said first scale and a second side (Fig. 3, side walls 24 and 26) facing said finger-resting surface,

Art Unit: 2859

with said first side being inclined with respect to said scale-supporting section (Fig. 3);

- h) said upstanding section includes means for gripping said upstanding section by fingers of a user of said guiding device (Fig. 1).

Bearinger does not disclose a first portion and a second portion formed of plastic, an elongated first scale made of metal having a lower surface rigidly and unreleasably attached to said scale-supporting section, an upper surface having first indicia to indicate predetermined lengths along said first scale, an innermost edge positioned closest to said free end of said upstanding section, and an outmost edge remote from said innermost edge, said upper surface of said first scale being inclined with respect to the working surface such that said innermost edge of said first scale is further from the working surface than said outermost edge of said first scale and a bottom surface including a second indicia indicating predetermined lengths along a contact surface.

Regarding claim 16: Bearinger discloses the first portion and second portion of a durable (column 1, lines 57-62) material. The particular type of material used to make the finger-resting surface, the upstanding section, and the scale supporting section, absent any criticality, is only considered to be the use of a “ preferred ” or “ optimum ” material out of a plurality of well known materials that a person having ordinary skill in the art at the time the invention was made would have find obvious to provide using routine experimentation based, among other things, on the intended use of Applicant’s apparatus, i.e., suitability for the intended use of Applicant’s

Art Unit: 2859

apparatus. See In re Leshin, 125 USPQ 416 (CCPA 1960) where the court stated that a selection of a material on the basis of suitability for intended use of an apparatus would be entirely obvious.

With respect to an elongated first scale made of metal having a lower surface rigidly and unreleasably attached to said scale-supporting section, an upper surface having first indicia to indicate predetermined lengths along said first scale, an innermost edge positioned closest to said free end of said upstanding section, and an outmost edge remote from said innermost edge, said upper surface of said first scale being inclined with respect to the working surface such that said innermost edge of said first scale is further from the working surface than said outermost edge of said first scale and a bottom surface including a second indicia indicating predetermined lengths along a contact surface, Jewell teaches a ruler that consists of an elongated first scale (Fig. 1, bar a) made of metal (column 1, lines 30-33) having a lower surface rigidly and unreleasably attached to said scale-supporting section (column 1, lines 30-33), an upper surface having first indicia to indicate predetermined lengths along said first scale (Fig. 1), an innermost edge positioned closest to said free end of said upstanding section, and an outmost edge remote from said innermost edge (Fig. 1), said upper surface of said first scale being inclined with respect to the working surface such that said innermost edge of said first scale is further from the working surface than said outermost edge of said first scale (Fig. 1) and a bottom surface (Fig. 2) including a second indicia indicating predetermined lengths along a contact surface (column 1, lines 45-47). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the straight edge holding device of Bearinger, so

Art Unit: 2859

as to include an elongated first scale and a bottom surface, as taught by Jewell, so as to provide additional measuring units so as to increase the capacity of measurements during use of the device.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art cited on PTO-892 and not mentioned above disclosed relative devices:

- a) Kidd discloses a safety ruler; b) Bottega discloses a ruler for guiding a blade and for providing shielding protection from the blade; c) Venola discloses a tool with an upstanding mid section; d) Hsu discloses a ruler assembly with an upstanding and magnifying mid section, and;
- e) Leavitt discloses a ruler with a mid section adapted for grasping the device. ;

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tania Courson whose telephone number is (703) 305-3031. The examiner can normally be reached on Monday-Friday from 8:00AM to 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez, can be reached on (703) 308-3875. The fax number for this Organization where this application or proceeding is assigned is (703) 308-7724.

Art Unit: 2859

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.



DIEGO F.F. GUTIERREZ
SUPERVISORY PATENT EXAMINER
GROUP ART UNIT 2859

TC
May 20, 2002